

Windows

- [Windows](#)

Windows

| | |
|--|---|
| Wireless troubleshooting | <code>netsh wlan show wlanreport</code> |
| Shows wifi profiles | <code>netsh wlan show profiles</code> |
| Delete wifi profile | <code>netsh WLAN delete profile name="Profile_Name"</code> |
| Connect to wifi | <code>netsh wlan connect ssid=YOUR_WIFI_SSID name=PROFILE_NAME</code> |
| List network interfaces | <code>netsh interface show interface</code> |
| Disable an interface | <code>netsh interface set interface "Wi-Fi" disable</code> |
| Purge kerberos tickets - use before gpupdate to pull new computer groups | <code>klist -lh 0 -li 0x3e7 purge</code> |
| PS continuous ping with timestamps and output to file | <code>Ping.exe -t wei-01-pc27 ForEach {"{0} - {1}" -f (Get-Date),\$_} Tee C:\Accent\pingtest.txt</code> |
| Search ARP table by MAC Addr with Powershell | <code>Get-NetNeighbor ? { \$_.LinkLayerAddress -eq "88-6F-D4-B8-1D-AD" }</code> |
| Get link speed and duplex of NIC | <code>Get-NetAdapter SELECT name, LinkSpeed, fullduplex ft -autosize</code> |
| Get firewall active profile | <code>Get-NetConnectionProfile</code> |
| Set firewall active profile | <code>Set-NetConnectionProfile -InterfaceAlias Ethernet1 -NetworkCategory "Public"</code> |
| <code>qwinsta /server:<servername> or query session</code> | Find Rdp sessions |
| <code>rwinsta /server:<servername> <session ID></code> | End RDP session |